www.car-solutions.com



Video Interface for Audi with MMI 3G System

User Manual

www.car-solutions.com

Contents

- 3 Welcome - What' in the box?
- 4 About Interface
 - Dimension
- 5 External Appearance
- 6 Connector Pin Assignment

MMI Control

- 7 Panasonic DVD
- 8 B-COM NAVI
- 9 Remote Control
- 10 OSD Menu
 - Main Menu, Brightness
- 11 Contrast, Image Color
- 12 Image, Image / Position
- 13 Image / Size, Interface Menu
- 14 Interface INPUT, Interface NAVI
- 15 Interface Option, Interface LBNC
- 16 Reset
- 17 IR Study Function
- 21 Contact us

Welcome

Thank you for purchasing the Audi 3G Interface. Read this guide to get started using it.

What's in the box?



3G I/F : 1 PCS POWER CABLE : 1EA A/V CABLE : 1EA LVDS CABLE : 1EA RGB CABLE : 1EA

Option Parts

IR CABLE : 1EA (For using "IR STUDY" function)

About Interface

20 mm

- Dimension 155 mm VIDEO INTERFACE

AVING

100.001

95 mm

POWER

About Interface

- External Appearance



Connector Pin Assignment



MMI Control (Panasonic DVD)



MMI Control (B-COM NAVI)



Remote Control

VIDEO INTER OSD -> AUDI MMI CONTROL BUTTON



OSD Menu - Main Menu







11

Image



Image / Size



Interface - INPUT



Interface - Option



Reset



IR Study function is using MMI Controller control instead of remote controller.

You can input (study) remote controller's function to MMI Controller system then control without remote controller.





Open OSD Menu then Select "'Interface Menu"



Change to "User Custom" And Back to front screen. This is MMI Button Push MMI Button 15~20 Sec This Button walks you through the OSD Menu

	Main Me	nu	
In	terface	Menu	
Input	Enable		
Model	Select		
Option			
LBNC			
OSD Se	tting		
TR Cat	ting		

Select "Model Select"



Select "IR Setting"





At last Select "Save IR"



Push MMI Button Then <u>CODE</u> will blinking

	Main	Men	1	Witten als	
Interfac	se -	DVD	IR	Set	up
> PLAY		NEX	Thill		
PAUSE		REV			-
STOP		EWE			-
PREV		POW	ER		1
144	22/10/14		111122	101111	2
CODE :	0x1	1 0	×00	FF	

<u>CODE</u> changed to remote controller's play function



Select "Yes"

After Finish work, Push MMI button then you can see Control Menu on screen.



<Navigation Menu Mode>

Before using IR Study function IR cable's <u>DETECT wire</u> connect to our RGB cable <u>Pin 13</u>. ※ Every IR Cable has ACC, GND, DETECT wire.

DVD

1	PLAY	2	PAUSE	3	STOP	4	PREV
5	NEXT	6	REV	7	FWD	8	POWER (2 Sec)
9	MENU	10	UP	11	DOWN	12	ОК
13	LEFT	14	RIGHT	15	DISK UP	16	DISK DOWN
17	MUTE				6		

D-TV

1	CHANNEL +	2	CHANNEL -	3	MENU	4	UP
5	DOWN	6	ОК	7	LEFT	8	RIGHT
9	POWER (2 Sec)	10	+ VOLUME+	11	- VOLUME-	12	MUTE
13	SCAN (2 Sec)	14		15		16	

GPS & NAVIGATION

1	MENU	2	UP	3	DOWN	4	ОК
5	LEFT	6	RIGHT	7	RETURN	8	DESTINATION
9	ZOOM IN	10	ZOOM OUT	11	Car Position	12	POWER(2 Sec)
13	+ VOLUME+	14	- VOLUME-	15	INPUT		

10